Lamp Posto. 513-8. Lawn Lights Drive Lights Murris Dron Co -

# THE MORRIS Iron Company

THE OUTDOOR LIGHTING SPECIALTY HOUSE

STREET LIGHTING

POSTS AND POLES

MAIN OFFICE AND WORKS FREDERICK, MD.

NEW YORK OFFICE, 90 WEST ST.

BULLETIN NUMBER 21



# FIXTURES FOR STREET, PARK LIGHTING AND ELECTRIC RAILWAYS

WE ARE MANUFACTURERS OF HIGH-GRADE POSTS, POLES, STANDARDS, BRACKETS, REFLECTORS AND SPECIALTIES FOR OUTDOOR LIGHTING.

We have handled large lighting problems for the past 15 years. Our engineering department is at your service.

This Catalogue No 21 covers Lighting Brackets, Poles and Rail way Fittings

Catalogue No 12 Sections 1 and 2 cover Railroad Brackets and

Cross Arms.

Catalogue No. 15 covers Pins, Break Arms, etc. Catalogue No. 19 covers Lighting Brackets, etc.

Catalogue No. 20 covers Posts and Poles.

# THE MORRIS IRON COMPANY


MAIN OFFICE: FREDERICK, MD
NEW YORK OFFICE: 90 WEST STREET
CABLE ADDRESS ELMORRIS, NEW YORK
1912

# **ANNOUNCEMENT**

# The Morris Iron Company

SUCCESSORS TO

ELMER P MORRIS COMPANY FREDERICK IRON WORKS & MONTROSE IRON COMPANY



OUR WORKS at Frederick, Md, have been enlarged and improved and our daily capacity is 75 tons of grey iron.

THE STANDARD DESIGNS which are illustrated in this catalogue can be supplied promptly and New Designs will be furnished upon application.

In many cases the parts are interchangeable, and a design can be made up from a number of those shown

PRICES F. O. B. FREDERICK, MARYLAND

LAMPS, GLOBES, SOCKETS AND WIRING NOT INCLUDED



Design No. 40103.

Code Word, Brooklyn.

#### ELECTRIC OR GAS.

Height from ground to bottom of lower globes, 12 feet. Height from ground to top of upper globes, 16 feet. Base, 18 inches square at ground line. Spread of arms, 3 feet.

Price, 5 lights Price, 3 lights \$100.00 90.00

Globes, 14-inch for upright and 12-inch for inverted, recommended



Design Vo. 40005.

Code Word, Lancaster,

#### ELECTRIC OR CAS.

Height from ground line to bottom of lower globes, 9 feet 6 mehes Height from ground line to top of upper globes, 13 feet. Base, 18 inches square. Spread of arms, 3 feet.

Globes, 14-inch for upright and 12 inch for inverted, recommended



Design No. 40000,

Code Word, Fivapos.

70 00

#### ELECTRIC OR GAS.

Height from ground to bottom of lower globes, 10 feet. Height from ground to top of upper globe, 13 feet 6 mehes. Base, 18 inches square Spread of arms, 3 feet

> Price, 5 lights Price, 3 lights \$80 00

Globes, 14-inch for upright and 12 inch for inverted, recommended



Design No. 40004.

Code Word, Fantis,

#### ELECTRIC OR GAS.

Height from ground to bottom of lower globes, 10 feet Height from ground to top of upper globe, 14 feet Base, 15 inches in diameter at ground line. Spread of arms, 3 feet.

Price, 5 lights \$60.00 Price, 3 lights 55.00

Globes, 12-inch for upright and 10 inch for inverted, recommended



Design No. 46003,

Code Word, Fiscull.

#### ELECTRIC OR GAS.

Height from ground to bottom of lower globes, 10 feet Height from ground to top of upper globe, 14 feet 6 inches Base, 15 inches in diameter at ground line. Spread of arms, 2 feet

Price, 5 lights \$60 00 Price, 3 lights \$55 00

14-inch upright and 12-inch inverted globes recommended



Design No. 32704

Code Word, Chorepon.

#### ELECTRIC OR GAS.

Height from ground to bottom of lower globes, 12 feet. Height from ground to top of upper globe, 15 feet. Base takes 3 mch shaft. Spread of arms, 3 feet

Price, 5 lights \$50.00 Price, 3 lights \$45.00

Globes, 12-inch for upright and 10 inch for inverted, recommended



Design No. 32701.

Code Word, Koperig.

#### ELECTRIC OR GAS.

Height from ground to bottom of lower globes, 12 feet. Base takes 3-inch shaft, spread of arms 4 feet

Price \$40.00



Design No. 37925.

Code Word, Koperkies.

7 feet, 6 inches from rail to bottom of globe

Price . \$40.00



Design No. 46013.

Code Word, Corbridge.

6 feet 6 inches from railing to bottom of lower globes. 8 feet 6 inches from railing to bottom of upper globe.



Design No. 410014.

Code Word, Kopermolen.

Height, 11 feet from ground to the bottom of lower globe. 12 feet to bottom of upper

Price \$70.00



Design No. 37923.

Code Word, Cornoil.

#### Price on Application

Height from ground to top of globe, 10 feet 8 inches. Base, 18 inches in diameter at ground line

PRICE DOES NOT INCLUDE POLICE BOX



Design No. 40006

Code Word, Kopermurrl.

ELECTRIC OR GAS.

Price \$45 00



Design No. 40007.

Code Word, Kopernikus.

ELECTRIC OR GAS.

Price \$50.00



Design No. 37918. Code Word, Corbell.

Price, \$45.00.

Height from ground to top of globe, 10 feet 8 inches. Base, 12 inches in diameter at ground line.



Design Vo. 37921. Code Word, Corbist.

Price, \$60.00.

Height from ground to top of globe, 10 feet 8 inches. Base, 13 inches in diameter at ground line.



Design No. 33517, Code Word, Chorsam.

Price. \$40.00.

Height from ground to reflector, 10 feet. Base, 15 inches in diameter at ground line. Spread of crook, 22 inches.

This price does not include reflector, socket, lamp, globe or wiring



Design No. 30711, Code Word, Chorolin.

Price. \$40.00.

Height from ground to reflector, 12 feet. Base, 15 inches in diameter at ground line. Spread of arm, 4 feet 6 inches.

This price does not include reflector, socket, lamp, globe or wiring



Design No. 32650. Code Word, Chorolem.

Price, \$50.00.

Height from ground to bottom of globe, 12 feet. Base, 10 inches in diameter at ground line.



Design No. 32651. Code Word, Choredog

Price, \$70.00.


Height from ground to bottom of globe, 13 feet. Height from ground to top of pole, 24 feet. Base takes 4-inch pole. Spread of arm, 4 feet.



Design No. 32502. Code Word, Chorolab.

#### Price, \$70.00

Height from ground to reflector, 12 feet 6 inches Height from ground to top of pole, 24 feet Base takes 4 inch pole. Spread of arm, 3 feet.



Design No. 30704. Code Word, Choroman

#### Price, \$120 00.

Height from ground to lamp holder, 19 feet. Base, 18 inches in diameter at ground line Spread of arm, 6 feet.



Design No. 41008. Code Word, Combinamas.

Price, \$120.00.



Design No. 41009. Code Word, Trolcharm,

Price, \$100.00.

#### COMBINATION LIGHTING AND TROLLEY POLES.

Height from ground to bottom of globes, 13 feet. Height from ground to top of pole 24 feet or to order. Base 19 inches in diameter at ground line. Spread of arms 5 feet. Pole 7 inches by 6 inches by 5 inches by 30 feet.

Prices of other sizes on application.



Design No. 34901. Code Word, Charlack-

Price, \$85.00.

Height from ground to holder, 20 feet. Height from ground to top of pole, 24 feet. Base takes 7-inch pole. Spread of crook, 24 inches. Pole, 7 inches by 6 inches by 5 inches by 30 feet, or to order.



DesignNo. 34902. Code Word, Charlong

Price, \$110.00.

Height from ground to lamp holder, 20 feet. Height from ground to top of pole, 24 feet. Base takes 7-inch pole. Spread of arm 36 inches. Pole, 7 inches by 6 inches by 5 inches by 30 feet, or to order.



Design No. 33103.

Code Word, Chomanas.

Height from ground to lamp holder 28 feet. Base 18 inches in diameter at ground line. Spread of crook, 24 inches. Pole 5 inches by 4 inches by 3 inches by 30 feet, or any height to order.

Price, \$140.00.
PRICE DOES NOT INCLUDE SOCKETS, LAMPS, GLOBES OR WIRING



Design No 33160.

Price,

Code Word, Charnico.

\$175.00

Height from ground to lamp holder, 19 feet Height from ground to top of crooks, 21 feet Base 18 inches diameter at ground. Spread of crook, 54 inches from centre of lamps



Design No. 32900.

Code Word, Charlock ...

Price, \$110.00

Height from ground to lamp holder, 19 feet. Height from ground to top of pole, 21 feet. Spread of crook, 24 inches. Base, 18 inches in diameter at ground line.



#### ELECTRIC OR GAS.

Design No.	Lights.	Code Word.	Price.		
37704	1 Light,	Chargemz,	\$60.00.		
37703	2 Lights,	Chargest,	70.00.		
37706	3 Lights,	Charger,	80.00.		
37705	4 Lights,	Chargerm,	90.00.		

Height from ground to lamp holder, 18 feet. Height from ground to top of pole, 20 feet, (or made any height to order.) Base take 4 inch pole. Spread of arms, 60 inches.



Design No. 33513.

Code Word, Koperoxyde.

#### ELECTRIC OR GAS.

Height from ground to lamp holder, 13 feet. Spread of crook, 22 inches Base to take 4-inch pole


Price, \$40.00.



Design Vo.		Code Word.	Price Each
33500	1 Light,	Charmione,	\$40.00
33600	2 Lights,	Charmoxan,	50.00
33700	3 Lights,	Charmelato,	60.00
33800	4 Lights,	Charalemon,	70 00


Height from ground to bottom of globe, 13 feet. Can be made any height desired. Base takes 3-inch column. Also made to 4-inch. Prices special





## **BASES**

Design	Code Word.	Style.	Size of Pole. Inches.	Height. Inches	Price
29595	Chargemoto	Slip	5	60	\$24.00
29600	Chargemotly	Flange	5	60	26.00



Iron or steel tubular section pole showing ground sleeve. This sleeve is protection against weakening, corrosion at ground line. Can be applied to all poles.

Prices on Application




Design No. 39737.

Code Word, Fixenare.

Price,

\$9.00

For high tension exterior wiring made of 1 1 4-inch pipe. Triple petticoat porcelain insulator. Twenty inch radical wave porcelain enameled steel reflector




Design No. 39702.

Code Word, Fixalun.

Price, \$9.50

For high tension interior wiring made of 1 1-4-inch pipe Porce lain insulator tested to 35000 volts. Twenty inch radical wave porcelain enameled steel reflector

SOCKET LAMP AND WIRING NOT INCLUDED.



Design No. 39704.

Code Word, Fixeable,

For high tension exterior wiring, made of 1 1-4-inch pipe. Triple petticoat, porcelain insulator. Twenty-inch radical wave porcelain enameled steel reflector.



Design No. 39767-

Code Word, Koperoker.

Price, \$3.35.

For high tension interior wiring, made of 1 1-4 inch pipe. Porce-Triple petticoat glass insulator and porcelain spools. Made of 3 4-inch lain enameled steel reflector.

SOCKET LAMP AND WIRING NOT INCLUDED.

## THE NEW "ON THE LEVEL" FIXTURE.



flector is always level, under all conditions. The fixture is constructed so that lamp, reflector and canopy hang from swing joint below the break arm.

A strain upon the leading-in wires may pull the break arm and insulator out of alignment but will have no effect upon the position of the reflector.

Whether span wires are strung level or not the reflector always remains level

The best grade standard type porcelain insulators are used throughout and so arranged as to provide perfect insulation



Code Word, Leveler.

Design No. 60000.

Price, each \$7.50

Includes 20-inch radical wave reflector, but not lamp or socket Machined to take either series or multiple socket.

## FEEDER ARMS.

(Cast Iron.)

#### TWO-PIN IRON FEEDER ARM.



Code Word,	List No	A manager (1) (ii)	List	Price.
Faccipa	1000a	For 3 -inch Iron Pipe		\$2.20
Faccipex		For 4 -inch Iron Pipe		
Faecipit	1002a	For 412 inch Iron Pipe		2.60
Faccipiz		For 5 inch Iron Pipe		
Гассірох	1004a	For 6 -inch Iron Pipe		2.80
Faecipum	1005a	For 7 inch Iron Pipe		3.20

#### FOUR-PIN IRON FEEDER ARM.




Code Word	List N	D.							1	list	Price.
Facciran	1006a	For	8	-inch	Iron	Pipe					\$3.20
Faccirat	1007a										
Faccired	100Sa										
Faccinox	1009a	For	5	inch	Iron	Pipe					3.70
Faecirule	1010a	For	6	-mch	Iron	Pipe					3.80
Facciruz	1011a	For	7	inch	Iron	Pipe					4.20


#### SIX-PIN IRON FEEDER ARM.



Cô le Word.	List No	-						1	ist	Price.
Faecisa	1012a	For 3	inch	Iren	Pipe					\$4.20
Faceiset	1013a	For 4	-inch	Iren	Pipe					4.40
Faccisch	1014a	For 41	5-inch	Iron	Pipe					4.60
Faecisim	1015a	For 5	inch	Iron	Pipe	4				4.70
Faecisore	1016a	For 6	inch	Iron	Pipe			10	-	4.80
Faecisudo	1017a	For 7	inch	Iron	Pipe					5.20



PRICES ON APPLICATION.




PRICES ON APPLICATION.


#### WALL BRACKET.




#### BREAK ARMS.



#### INSULATED LAMP SUSPENSION.




WE ALSO MANUFACTURE ALL KINDS OF IRON PINS AND BRACKETS FOR ELECTRIC LIGHT AND RAILWAY CONSTRUCTION. ALL KINDS OF GREY IRON CASTINGS, PLAIN OR MACHINED. MANHOLE COVERS AND FRAMES, SETTEES, VASES, STABLE FITTINGS, BUILDING COLUMNS, GRATE BARS.





# THE OUTDOOR LIGHTING SPECIALTY HOUSE



## MORRIS IRON COMPANY

FREDERICK, MD.

NEW YORK OFFICE.

90 WEST STREET

[BLANK PAGE]



